

kronospan

**SPC
NEW
GENERATION
FLOORING**



Kronospan SPC flooring

SPC flooring is a new development among finishing and decorative materials in Kronospan range.

It is ideal for commercial projects and throughout the house, including bathroom

Rigid Vinyl Flooring.

Laminate Flooring.

Wall Panels.

Accessories.




Kronospan SPC flooring

SPC (stone plastic composite) vinyl flooring is a new generation of LVT. It is set apart from other types of vinyl flooring by its unique resilient core, made from over 70% of natural marble.

This provides an incredibly stable base for each flooring plank.

- our spc flooring consists of over 70% of mineral
- the core material of SPC makes the flooring hard and rigid, unlike soft and flexible LVT
- SPC core is finished with design print covered with high performance UV-coating – no PVC layer
- acoustic comfort thanks to sound reduction layer*



* In chosen products [37% walking sound reduction (ref. to IHD-W-431), 6% impact sound insulation (ref. to EN ISO 10140-3)]

Product advantages - durable and hard-wearing



Waterproof - suitable even for bathrooms



Stain resistant



Product advantages - durable and hard-wearing



- High dimensional stability ($<0,25\%$) due to mineral content
- No telegraphing
- Does not change dimensions even with high temperature fluctuations
- Can be installed in kitchens, bathrooms and conservatories



Product advantages - durable and hard-wearing




- Well suited for underfloor heating thanks to mineral content
- Very good thermal conductivity



- Scratch resistant




- Suitable for low to intensively used living and public utilities



Product advantages - authentic look



Clear design image with no PVC top layer



Lightfastness – acc. to the level 6 of the blue wool scale



Product advantages



- Soft touch and warm underfoot



- Silent walk – 37% of walking noise reduction and 6dB of impact sound reduction*



- Easy to clean and hygienic
- no expensive cleaning agents needed



- Fire behaviour acc. to EN13501-1



- Best indoor air quality



* In chosen products [37% walking sound reduction (ref. to IHD-W-431), 6% impact sound insulation (ref. to EN ISO 10140-3)]